



COFC

Practitioner's Docket No. C64-7583

Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,347,671

Issued.: March 25, 2008

Name of Patentee: Kevin Dorling

Title of Invention: TURBINE BLADE TURBULATOR COOLING DESIGN

Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

ATTENTION: Decision and Certificate of Correction
Branch of the Patent Issue Division

Certificate

JUN 11 2008

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

1. Attached, in duplicate, is PTO/SB/44 (also Form PTO-1 050), with at least one copy being suitable for printing.

NOTE: Form PTO-1050, using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. M.P.E.P. § 1485, 6th ed., rev. 3.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. M.P.E.P. § 1485, 6th ed., rev. 3.

2. The errors are shown correctly in the application file at the following locations:

Amendment mailed September 27, 2007

Page 6, line 2

Page 7, line 2

NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. M.P.E.P. § 1485.

(Request for Certificate of Correction of Patent for PTO Mistake [14-1]--Page 1 of 1)

RECEIVED-USPTO
Patent Publication

JUN 12 2008

Name: Richard S. Wesorick

(complete if applicable)

OR

Signature of assignee or person authorized to sign on behalf of assignee

Richard S. Wesorick Reg. No. 40,871
(type or print name of authorized person signing)

Frame:

Attorney of Record
Title of authorized person signing

☐ Attached is a "Statement Under 37 CFR 3.73(b)," establishing the right of the assignee to take action in this case.

NOTE: "A certificate of correction, under 35 U.S.C. 254, may be issued at the request of the patentee or [the patentee's] assignee." 37 C.F.R. § 1.322(a). The certificate of correction can be signed by the attorney of record who acts on behalf of the inventor(s) or assignee(s).

(Request for Certificate of Correction of Patent for PTO Mistake 14-1 Page 2 of 2)

RECEIVED-UCFPO
ke 114-1 Page:2 of 2)

JUN 12 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. 7,347,671

Issued.: March 25, 2008

Name of Patentee: Kevin Dorling, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

Column 8, line 6, after "between 4 and" delete "5mm" and insert --6mm--

Column 8, line 22, after "0.45 and" delete "0.7.5mm" and insert --0.75mm--

MAILING ADDRESS OF SENDER:

PATENT NO. 7,347,671

Tarolli, Sundheim, Covell, & Tummino, LLP
1300 East Ninth Street Suite 1700
Cleveland, OH 44114

No. of additional copies



This Collection of information is requires by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

RECEIVED-USPTO
Patent Publication

JUN 12 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. 7,347,671

Issued.: March 25, 2008

Name of Patentee: Kevin Dorling, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

Column 8, line 6, after "between 4 and" delete "5mm" and insert --6mm--

Column 8, line 22, after "0.45 and" delete "0.7.5mm" and insert --0.75mm--

MAILING ADDRESS OF SENDER:

PATENT NO. 7,347,671

Tarolli, Sundheim, Covell, & Tummino, LLP
1300 East Ninth Street Suite 1700
Cleveland, OH 44114

No. of additional copies



This Collection of information is requires by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

RECEIVED-USPTO
Patent Publication

JUN 12 2008